How to change the IP address on your laptop to update your COD through the network port located on the top middle section of your COD.

- 1. Go to start and click on "Control Panel" or press the windows key + R and type "control panel" (without quotes) and press enter.
- 2. Click on "Network and Internet."
- 3. Click on "Network and Sharing Center."
- 4. Click on "change adapter settings" in the top left corner.
- 5. Right click "Local Are Connection" and select "Properties".
- 6. Under "This connection uses the following items" select "Internet Protocol Version 4(TCP/IPv4) and click properties.

P Broadcom Net!	ink (TM) Gigabit Ethernet	
is connection uses	<u>C</u> onfigute the following items:	ure
🗹 📇 QoS Packet	Scheduler	
Gos Packet G	scheduler er Sharing for Microsoft Networks ocol Version 6 (TCP/IPv6) ocol Version 4 (TCP/IPv4) opology Discovery Mapper I/O Driver opology Discovery Responder	
QoS Packet File and Print File and Print File Internet Prot File Link-Layer T Install Description	Scheduler er Sharing for Microsoft Networks ocol Version 6 (TCP/IPv6) ocol Version 4 (TCP/IPv4) opology Discovery Mapper I/O Driver opology Discovery Responder	ties

7. Select "use the following IP address" and enter the following: -IP Address: 10.0.0.100
-Subnet : 255.255.0.0
-Gateway: 10.0.0.254
Then click Advanced in the bottom right corner.

Internet Protocol Version 4 (TCP/IP	v4) Properties	×			
General					
You can get IP settings assigned automatically if your network supports this capability. Otherwise, you need to ask your network administrator for the appropriate IP settings.					
O Obtain an IP address automatically					
• Use the following IP address:—					
IP address:	10 . 0 . 0 . 100				
Subnet mask:	255.255.0.0				
Default gateway:	10 . 0 . 0 . 254				
C Obtain DNS server address automatically					
Use the following DNS server addresses:					
Preferred DNS server:					
Alternate DNS server:					
Validate settings upon exit					
	OK Cancel				

 At the top section under "IP Address" click "Add" and input the following and then click "Add" to save. IP Address: 192.168.21.100

IP Address: 192	2.168.21.100					
Subnet Mask: 255.255.255.0						
	TCP/IP Address		<u>? ×</u>			
	IP address:	192 . 168 . 21 . 100				
	Subnet mask:	255 , 255, 255, 0				
		Add	Cancel			

9. Next click Ok on each currently opened screen to save all changes.